



















- GUIDE
- **UNDERSTAND**
- **ADAPT**
- **RESPOND**
- **DELIVER**

Knowledgeable & Collaborative

Analytical & Reflective

Flexible & Innovative

Reactive & Thorough

Dependable & Committed



STEPOVER BENCHES

WITH COMPARTMENTS

Stepover Benches manufactured from grade 304 Stainless Steel (also available in 316) with an electropolished surface finished, continuously welded seams and non shedding adjustable levelling feet. Stepover benches create a physical barrier between the clean and dirty side of a changing area,

helping to ensure good gowning practice whilst also providing useful storage space in often cramped spaces. Stainless is a preferrential material due to its cleanability, strength and durability properties. It is also a material that will not generate particulate and offers high levels of resistence to acids and cleaning agents.

STAINLESS STEEL

● Standard configurations are presented on the following pages, however Stepovers can be manufactured in custom sizes and configurations to suit any space and layout. Popular bespoke options include L-Shape configurations and units with integrated lockers or pigeon hole storage space.

Stepover with compartments:

- Grade 304 stainless steel frame, legs & surface
- Fully welded seams
- Adjustable levelling feet
- Storage compartments under bench
- Also available in grade 316 stainless

Also available configured as a single shelf under bench:



BENGHES

Single shelf

| W | D | Н | Compartments | Product code |
|------|-----|-----|--------------|--------------|
| 1000 | 400 | 450 | 4 | GSSB4C404510 |
| 1200 | 400 | 450 | 5 | GSSB5C404512 |
| 1500 | 400 | 450 | 6 | GSSB6C404515 |
| 1800 | 400 | 450 | 7 | GSSB7C404518 |
| 2000 | 400 | 450 | 8 | GSSB8C404520 |
| 2500 | 400 | 450 | 10 | GSSB10C44525 |

Dual shelf

| W | D | Н | Compartments | Product code |
|------|-----|-----|--------------|--------------|
| 1200 | 400 | 450 | 10 | GSSB10C44510 |
| 1200 | 400 | 450 | 12 | GSSB12C44512 |
| 1500 | 400 | 450 | 14 | GSSB14C44514 |
| 1800 | 400 | 450 | 16 | GSSB16C44516 |
| 2000 | 400 | 450 | 18 | GSSB18C44520 |
| 2500 | 400 | 450 | 20 | GSSB20C44525 |



TRESPA STEPOVER BENCHES

Trespa is a high-pressure compact laminate consisting of layers of wood-based fibres (paper and/or wood) impregnated with thermosetting phenolic resins and surface layers are impregnated with melamine based resins. These components are bonded together with simultaneous application of heat and high specific pressure to create a homogeneous nonporous material with increased density and high chemical resistance whilst providing attractive aesthetics. The bench framework is created from powdercoated steel box section to give the benches strength and stability.



Stepover with compartments:

- High pressure laminate (Trespa) surfaces
- Powder-coated steel box section framework
- Clean and durable material
- Storage compartments under bench
- Available with lockable cabinet doors
- Available with coat rail and hooks or hangers

| W | D | Н | Compartments | Product code |
|------|-----|-----|--------------|--------------|
| 1000 | 400 | 450 | 3 | GTSB3C404510 |
| 1200 | 400 | 450 | 4 | GTSB4C404512 |
| 2000 | 400 | 450 | 6 | GTSB6C404520 |
| 2500 | 400 | 450 | 8 | GTSB8C404525 |
| 2900 | 400 | 450 | 10 | GTSB10C44529 |

Also available as a seating bench:





LOCKERS

STAINLESS STEEL

Manufactured from grade 304 stainless steel with a sloping top to prevent particulate settlement, Guardtech Cleanrooms stainless

lockers are designed to provide operators with safe storage of personal belongings and clothing prior to entrance into the controlled area.



Mild steel painted

- Compartments individually lockable
- May be louvered for air circulation
- Sloping roof optional
- Variety of door arrangements
- Locks available

| Units | Product code | | | | |
|-------|--------------|--|--|--|--|
| 1 | GTCLOCKER1 | | | | |
| 2 | GTCLOCKER2 | | | | |
| 3 | GTCLOCKER3 | | | | |
| 4 | GTCLOCKER4 | | | | |
| 5 | GTCLOCKER5 | | | | |
| 6 | GTCLOCKER6 | | | | |



STAINLESS STEEL

Manufactured from grade 304 stainless steel, on adjustable levelling legs to aid cleaning underneath and with a sloping top to prevent particulate settlement. Tall cupboards are available with internal shelves and can be lockable.

- Grade 304 stainless steel
- Adjustable levelling feet
- Hygienic sloping roof
- Internal Shelves available



| | VV | ע | П | Product code |
|--------------------------------------|------|-----|------|---------------|
| 13 | 900 | 457 | 1880 | GSTC18457900 |
| Available as mobile units on castors | 1200 | 457 | 1880 | GSTC2D4571200 |
| Available in grade 316 stainless | 900 | 610 | 1880 | GSTC2D610900 |
| Available with camlock and key | 1200 | 610 | 1880 | GSTC2D6101200 |

Short cabinets with drawers



Manufactured from grade 304 stainless steel, available as cabinet units, drawer units or a combination of both. Integrated cupboard and drawer handles with hygienic slope, units raised from the floor with adjustable levelling legs to facilitate accessible cleaning underneath.

CUPBOARDS: Each with internal mid height shelf **DRAWER UNITS:** Each comprise of four drawers (as pictured)

- Grade 304 seamless welds
- Available with sliding doors
- Available with camlock & key
- Available in grade 316
- Available with 13-amp sockets
- Internal shelf options

| Configuration | W | D | Н | Product code |
|--------------------------------------|------|-----|-----|--------------|
| One door + one drawer unit | 1200 | 600 | 850 | GSSC1C4D1285 |
| Two door cupboard + one drawer unit | 1500 | 600 | 850 | GSSC2C4D1585 |
| Two door cupboard + two drawer units | 1800 | 600 | 850 | GSSC2C8D1885 |
| Two door + one overhead drawer | 1200 | 600 | 850 | GSSC2C1D1285 |
| Two door + two overhead drawers | 1200 | 600 | 850 | GSSC2C2D1285 |

Trespa cabinets are designed to be long-lasting, easy to clean and resistant to chemicals and acids. This product is desinged to be monuverable and fit underneth Trespa worktops.

- Designed to fit underneath work benches
- Easy to clean, chemical resistant surface
- Damage resistant Trespa TopLab Base worktop

| D | L | Н | Cupboards | Cupboard only | + One large drawer | + Multi-drawers |
|------|-----|-----|-----------|---------------|--------------------|-----------------|
| 600 | 600 | 850 | 1 | GT1C0D608560 | GT1C1D608560 | - |
| 1200 | 600 | 850 | 2 | GT2C0D608512 | GT2C1D608512 | GT2C2D608512 |
| 1500 | 600 | 850 | 3 | GT3C0D608515 | GT3C1D608515 | GT3C3D608515 |
| 1800 | 600 | 850 | 4 | GT4C0D608518 | GT4C1D608518 | GT4C4D608518 |







SHELVING STAINLESS RACKING

Guardtech stainless racking is manufactured from grade 304 stainless steel 30x30mm box section, continuously seam welded to eliminate ledges that are typically found with standard modular shelving units.

- Standard shelves are slatted to allow for airflow to pass through and to minimise ledges for particulate settlement, but can also be provided solid or perforated.
- Grade 304 stainless steel 30mm box section
- Fully welded construction
- Available as mobile unit with swivel castors
- Available with solid or perforated stainless sheet shelves
- Available as two, three and five shelf units



STAINLESS STEEL WIRED UNITS

Four legs - four shelf units

450

450

450

450

450

600

600

600

610

914

1219

1524

1829

610

914

1219

A cost-effective alternative to solid stainless shelving, grade 304 wire racking units, durable and cleanable, which also allow for maximum airflow around stored products.

For more info on these units, call 0330 113 0303

• Grade 304 stainless steel shelves

1530

1530

1530

1530

1530

1530

1530

Product code

GSSR4S450914

GSSR4S451219

GSSR4S451524

GSSR4S451829

GSSR4S600610

GSSR4S600914

GSSR4S601219

GSSR4S601524

- Grade 304 stainless steel poles
- Adjustable levelling feet
- Configurable shelf heights
- 100kg max loading per shelf
- Mobile version available
- Available with four or six legs
- Available as a trolley unit with handle

CLEANROOM AUCESSORIES



| W | D | Н | Compartment | Product code |
|-----|-----|-----|-------------|--------------|
| 300 | 200 | 400 | Single | GSMPD1402030 |
| 600 | 200 | 400 | Double | GSMPD2402060 |
| 900 | 200 | 400 | Triple | GSMPD3402090 |



Multi-purpose dispenser

- Designed to hold pair packed gloves
- Also goggles, overshoes, mob caps
- Grade 304 stainless steel
- Vision slots
- Hinged lid and lip at the front

Glove dispenser

- Designed to hold boxed gloves
- Also beard snoods & mob caps
- Grade 304 stainless steel
- Open top for easy loading
- Wall mounted



| W | D | Н | Compartment | Product code |
|-----|-----|-----|-------------|--------------|
| 165 | 100 | 260 | Single | GSGD1B260165 |
| 330 | 100 | 165 | Double | GSGD2B165330 |
| 495 | 100 | 165 | Triple | GSGD3B165495 |



Paper towel dispenser

- Grade 304 stainless steel
- Wall mounted

| ip loading | | S. M. Marie | Marin |
|--------------|-----|-------------|--------------|
| Product code | Н | D | W |
| GSPTDT290365 | 365 | 100 | 290 |



Centre pull roll dispenser • Grade 304 stainless steel

GSCPD2215365

- Wall mounted
- Vision slot
- Product code

| 00 | 365 | GSP11/1290365 | J | 200 | 215 | 365 | |
|----|-------|---------------|---|-----|-----|-----|--|
| | Nyson | hand drver | | | | | |



- Touch-free proximity sensor
- Antibacterial additive in the paint
- HEPA filtered air supply
- Extends only 100mm from wall

| W | D | Н | Product code |
|-----|-----|-----|--------------|
| 235 | 100 | 395 | GSDVHD235395 |



Wall mounted coat hooks

- Available in grade 304 stainless
- Pre-drilled for easy wall mounting

| Hook | s | Staggered | Non-staggered |
|------|---|--------------|---------------|
| 10 | | GSWMCHST0010 | GSWMCHNST010 |
| 20 | | GSWMCHST0020 | GSWMCHNST020 |



www.guardtech.com

GARMENT STORAGE

STAINLESS STEEL RAIL

Grade 304 stainless steel box section frame with tube rail complete with stainless steel captive hangers for garment storage in change areas. Standard option comes as a basic rail, but can also be manufactured with coat hooks.

- Grade 304 stainless steel
- Can be integrated with stepover benches
- Adjustable levelling feet
- Mobile version available
- Also available with hooks
- Available in grade 316







GARMENT LOCKER



- Garment lockers are used as part of a uniform management system, allowing for inventory to be stored in individual lockers and re-stocked with master access to all compartments.
- Supplied with cam or hasp & staple locks
- 304 grade stainless steel
- Compartments individually lockable
- Can be louvred for air circulation
- Sloping roof option
- Master door to front or rear
- Available in grade 316

| Compartments | W | D | Н | Product code |
|--------------|------|-----|------|--------------|
| 10 | 400 | 405 | 1990 | GSGD10405400 |
| 15 | 400 | 405 | 1990 | GSGD15405400 |
| 45 | 1050 | 405 | 1990 | GSGD45451050 |
| 45 | 972 | 405 | 1990 | GSGD45451990 |



PIGEON HOLE SHOE RACK



- Grade 304 stainless steel
- Adjustable levelling feet
- Open front and easy to clean sloping top
- Can be incorporated into stepover benches

| Pairs | W | D | Н | Product code |
|-------|------|-----|------|--------------|
| 10 | 569 | 350 | 1700 | GSSR10170569 |
| 15 | 840 | 350 | 1700 | GSSR10170840 |
| 20 | 1120 | 350 | 1700 | GSSR20171120 |
| 30 | 1690 | 350 | 1700 | GSSR30171690 |

10

SINKS

Guardtech sinks are manufactured from grade 304 stainless steel and are designed for washrooms and change areas in critically controlled environments. Sinks are available with a standard lever tap system, knee operated or with infared motion detection taps for hands-free operation to reduce cross contamination from contact.

● The following pages illustrate some standard options – however, sink and tap configurations can be manufactured to meet the exact space and specification requirements of your business.





FEATURES

- Easy to clean slopping top
- Optional under sink shelving & cupboards
- Available with point-of-use heaters
- Drainage pumps can be incorporated
- Open pedestal or stainless shroud options
- Available in 316 stainless steel

- Grade 304 stainless steel
- One tap and bowl per operator configuration
- Motion detector taps as standard
- Sloping top and high splashback
- Dyson Airblade taps (pictured) available
- Available in grade 316 stainless steel

| Operators | W | D | Н | Sink H | Product code |
|-----------|------|-----|------|--------|--------------|
| 1 | 565 | 540 | 1450 | 850 | GSBS1P540565 |
| 2 | 1130 | 540 | 1450 | 850 | GSBS2P541130 |
| 3 | 1695 | 540 | 1450 | 850 | GSBS3P541695 |
| 4 | 2290 | 540 | 1450 | 850 | GSBS4P542290 |

INSET BOWL SINK UNITS



SINKS WITH DRAINER & CUPBOARD

- Flush wall fitting provided by inset legs
- Taps mounted on rear ledge or splashback
- Height adjustable versions available
- Easy to clean sloping top
- 100mm upstand
- Single or double bowl configuration
- Also available with tall splashback

TROUGH - KNEE OPERATED

• Trough-style basin

• Also available with motion detector taps or Dyson Airblade taps

• Available open on pedestal or shrouded in 304 stainless steel

Also available as a wall-mounted unit

| Operators | W | Н | Pedestal | Shrouded |
|-----------|------|-----|--------------|--------------|
| 1 | 465 | 400 | GSTSKP140465 | GSTSKS140465 |
| 2 | 800 | 400 | GSTSKP240800 | GSTSKS240800 |
| 3 | 1200 | 400 | GSTSKP340120 | GSTSKS340120 |
| 4 | 1600 | 400 | GSTSKP440160 | GSTSKS440160 |
| 5 | 2000 | 400 | GSTSKP540200 | GSTSKS540200 |
| 6 | 2400 | 400 | GSTSKP640240 | GSTSKS640240 |



UTILITY SINKS

- Easy to clean sloping top
- 350mm tall splashback
- Flush wall fitting provided by inset legs
- Taps mounted on rear ledge or on splashback
- Single or double bowl configuration
- Also available with low splashback

| Single bowl utility sink ——— | |
|------------------------------|---|
| Double bowl utility sink | • |
| | |

| W | D | Н | Bowl D | Back H | Product code |
|------|-----|-----|--------|--------|--------------|
| 1410 | 750 | 850 | 450 | 350 | GSUS2B451410 |
| 1910 | 750 | 850 | 450 | 350 | GSUS2B451910 |
| 1410 | 750 | 850 | 600 | 350 | GSUS2B601410 |
| 1910 | 750 | 850 | 600 | 350 | GSUS2B601910 |

| W | D | Н | Bowl D | Back H | Product code |
|------|-----|-----|--------|--------|--------------|
| 910 | 750 | 850 | 450 | 350 | GSUS1B450910 |
| 1160 | 750 | 850 | 450 | 350 | GSUS1B451160 |
| 1410 | 750 | 850 | 450 | 350 | GSUS1B451410 |
| 1910 | 750 | 850 | 450 | 350 | GSUS1B451910 |
| 910 | 750 | 850 | 600 | 350 | GSUS1B600910 |
| 1160 | 750 | 850 | 600 | 350 | GSUS1B601160 |
| 1410 | 750 | 850 | 600 | 350 | GSUS1B601410 |
| 1910 | 750 | 850 | 600 | 350 | GSUS1B601910 |

• Ideal for use in washrooms combined with pre-rinse tap units, Guardtech sink, drainer and cupboard combinations provide the perfect self-contained wash station with ample storage solutions.

| Configuration | W | D | Н | Prodcut code |
|--|------|-----|-----|--------------|
| Single drainer G bowl with two-door cupboard | 1000 | 600 | 900 | GSS1D1B2C100 |
| Single drainer & bowl with three-door cupboard | 1800 | 600 | 900 | GSS1D1B3C180 |
| Single drainer & two bowl with three-door cupboard | 1800 | 600 | 900 | GSS1D2B3C180 |
| Double drainer & two bowl with four-door cupboard | 2400 | 600 | 900 | GSS2D2B4C240 |

12

TAPS &

A range of specialist taps and pre-rinse units can be installed on any Guardtech sink unit from the previous pages.

| Тар | Product Code |
|---------------------------------|--------------|
| Dyson Airblade tap | GSTDA1000000 |
| Motion sensor tap | GSTMS1000000 |
| Lever 3" pillar tap | GSTL3P000000 |
| Deck lever 3" tap | GSTDL3000000 |
| Pre-rinse mono block | GSTTPRMB0000 |
| Short pre-rinse | GSTSPR000000 |
| Short pre-rinse with pot filler | GSTSPRPF0000 |









Short pre-rinse

• Stainless steel drainage products provide an easy-to-clean, non-corrosive solution

Dyson Airblade tap

Motion sensor tap

Deck lever 3" tap

- Drainage pipes, channels, drains and dump pots available in 304 or 316 stainless steel
- Available in a wide range of sizes and configurations

Short pre-rinse with pot filler

Guardtech can also provide quotation for Groundworks. Please call to hear all your options

| Product code |
|------------------|
| Call for options |
| |

Lever 3" pillar tap

WASTE

• Waste sack holders in grade 304 stainless steel, open or shrouded units availiable with a hands-free system using a foot pedal to operate the lid, eliminating hand contact and minimising the risk of contamination.



Shrouded pedal bin

- Grade 304 stainless steel
- 350mm ring diameter
- 75-litre capacity
- Complete with lid
- Bag-clamping band

| W | D | Н | Product code |
|-----|-----|-----|--------------|
| 500 | 400 | 800 | GSBLPS504080 |



Pedal bin

- Grade 304 stainless
- 350mm ring diameter
- 75-litre capacity
- Complete with lid
- Bag-clamping band

Flip lid bin

- Grade 304 stainless
- Swing lid
- Removable top
- Adjustable feet
- Fully enclosed


| W | D | Н | Product code |
|-----|-----|-----|--------------|
| 500 | 400 | 800 | GSBLP0504080 |



Waste bag holder

- Grade 304 stainless
- 350mm ring diameter
- Free standing
- 800mm high
- Bag-clamping band


| Configuration | D | Product code |
|---------------|-----|--------------|
| With lid | 350 | GSBNNWM00350 |
| Without lid | 350 | GSBLNWM00350 |





- Wall mounted
- Grade 304 stainless
- 350mm diameter
- With or without lid
- Bag-clamping band

| D | Н | Product code |
|-----|-----|--------------|
| 350 | 800 | GSBNN0504080 |





CLEANROOM CHAIRS

The MVMT Pro is designed for today's ultra-critical environments including staticsensitive and particle/microbe-controlled areas. The MVMT Pro offers weight-activated control, meaning an individual user's weight sets the tension, which alleviates resetting controls in multi-user shift workplaces.

• The seating is engineered for a task-specific range of motion and constant use. The MVMT Pro has a high end modern aesthetic and positively enhances corporate image.

Waterfall-front seat 18.5" wide x 17" deep x 3" thick with four-way contouring

Backrest 15.5" wide with full lumbar support

• Soft-touch pneumatic seat-height adjustment, rearward seat tilt, backrest tilt and height adjustment

• Optional – static control seating with ESD upholstery – rated to Class 1/ISO Class 3

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied

Lock-out control mechanism can be locked in three different reclining positions with a simple twist of a knob

Suitable for ISO3 to ISO5 controlled environments

• QR code profile system delivers individual webpage for every specific MVMT unit manufactured

Hermetically sealed under-seat rubber boot encapsulates moving parts and meets the stringent requirement of ISO3

Supported by a generous 13-year warranty



Armrest adjustment - height, width and depth can be adjusted & locked



Height adjustable stainless steel footring - 22" diameter slides easily. holds positively and stays put



Seat height

Desk (17 - 21")

Bench (20 - 27")

High Bench (24 - 33")

Desk (17 - 21")

Bench (20 - 27")

High Bench (24 - 33")

Back rest height

Tall (19.5")

Tall (19.5")

Tall (19.5")

Short (15")

Short (15")

Short (15")

Adjust seat height, tilt, slide, backrest angle and height, microtension control & control lockout



Blue upholstery

GCMVPBL17195

GCMVPBL20195

GCMVPBL24195

GCMVPBL01715

GCMVPRI 02015

GCMVPBL02415

Black upholstery

GCMVPBK17195

GCMVPBK20195

GCMVPBK24195

GCMVPBK01715

GCMVPBK02015

GCMVPBK02415

Resistance casters featuring a semisoft tread that won't roll away easily

Like the MVMT Pro, the Tech Series was created for ultra-critical environments including static-sensitive and particle/microbe-controlled areas such as medical device manufacturing, genetic research, pharmaceutical processing and similar facilities.

• Tech Series comes standard without arms to allow tucking under work surfaces. Models available with tall and medium backrests and 13-year warranty.

 Similar to the MVMT Pro but with slightly. downgraded control mechanisms, a cost effective yet high quality cleanroom seating option

Intuitive functionality including weight-activated control and synchronous seat and backrest

• Engineered for task-specific range of motion and frequent use

• Exclusive QR code product tag delivers individual webpage for every MVMT unit manufactured

Easy wipe-down upholstery

Seat height Desk (17 - 21") Bench (20 - 27") Hiah Bench (24 - 33") Desk (17 - 21") Bench (20 - 27")

Hiah Bench (24 - 33"

ISO Class 5 clean room models available

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting chair from rolling away

Arm rests are available upon request

Also available in high bench size (seat height 24-33")



Task control with soft touch pneumatic adjusts seat height and backrest angle and height



Contoured foam and vacuum formed vinyl upholstery provide well-supported comfor

| Blue upholstery | Black upholstery |
|-----------------|--|
| GCMVTBL17195 | GCMVTBK17195 |
| GCMVTBL20195 | GCMVTBK20195 |
| GCMVTBL24195 | GCMVTBK24195 |
| GCMVTBL01715 | GCMVTBK01715 |
| GCMVTBL02015 | GCMVTBK02015 |
| GCMVTBL02415 | GCMVTBK02415 |
| | GCMVTBL17195 GCMVTBL20195 GCMVTBL24195 GCMVTBL01715 GCMVTBL02015 |




Ergonomic

CLEANROOM CHAIRS

Elite is designed for use at 34-44" high benches. Features include easy pneumatic seat height adjustments from 22-32", an ergonomic seat with four-way contouring and internal seat board bumperguard, a mid-sized back with lumbar support and a plastic protective panel, plus convenient backrest tilt and height adjustments.

- The seat and back are covered with Grade 2 vinyl upholstery for durability and easy-cleaning. The chair rests on a high-profile 25.6" diameter cast aluminum base. Other features include dual-wheel, non-marring polyurethane casters that resist movement when the chair is left unoccupied.
- Ergonomic seat with waterfall front
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away
- Rugged multi purpose seating with antimicrobial properties every seat and backrest
- fetime warranty on pneumatics
- ustable footring
- nch configuration

| - | I | Arm rest |
|--|-----------------------|----------|
| Also availab (seat height 24 | le in high b -33") | ench |
| Optional 22" | diameter a | djusta |
| 13-year war | ranty with | lifetir |
| and UV inhibitor | standard in | n ever |





Optional height adjustable stainless steel footring - 22" diameter slides easily, holds positively and stays put



| Seat height | Back rest height | Blue upholstery | Black upholstery |
|-----------------------|------------------|-----------------|------------------|
| Desk (17 - 21") | Tall (19.5") | GCELTBL17195 | GCELTBK17195 |
| Bench (20 - 27") | Tall (19.5") | GCELTBL20195 | GCELTBK20195 |
| High Bench (24 - 33") | Tall (19.5") | GCELTBL24195 | GCELTBK24195 |
| Desk (17 - 21") | Short (15") | GCELTBL01715 | GCELTBK01715 |
| Bench (20 - 27") | Short (15") | GCELTBL02015 | GCELTBK02015 |
| High Bench (24 - 33") | Short (15") | GCELTBL02415 | GCELTBK02415 |

| | Controls |
|---|----------|
| - | |

Task control with soft touch pneumatic adjusts seat height and back rest angle and height



Resistance casters featuring a semisoft tread that won't roll away easily

Rugged multipurpose construction, full ergonomic adjustability and antimicrobial properties make this Armour series chair a versatile seating solution for lower grade controlled environments, laboratories and educational applications.

• This chair is designed for use at 29-33" high desks and benches. Functions include pneumatic seat height adjustment range of 17-21", fixed rearward seat tilt of 3.5 degrees, plus backrest tilt and height adjustment controls. Features 16" wide by 10.75" high backrest with lumbar support, ergonomic 17.5" wide by 15.5" deep seat with waterfall front, robust 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.

Easy-to-clean seat and backrest feature stipple finish and contain UV inhibitor and antimicrobial properties. Metal parts have chrome finish.

- Ergonomic seat with waterfall front
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away
- Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest
- 13-year warranty with lifetime warranty on pneumatics
- Optional 22" diameter adjustable footring
- Also available in high bench configuration (seat height 24-33")



pneumatic adjusts seat height and backrest angle and height



Seat and Backrest made from Polypropylene containing UV inhibitor and antimicrobial properties



Built in tubular footring, Resistance casters featuring a semi-soft tread that won't roll away easily

| Seat height | Tubular base including footring | Base plus adjustable footring |
|-----------------------|---------------------------------|-------------------------------|
| Desk (17 - 21") | GCARMTB00017 | GCARMSBFR017 |
| Bench (20 - 27") | GCARMTB00020 | GCARMSBFR020 |
| High Bench (24 - 33") | GCARMTB00024 | GCARMSBFR024 |

sales@guardtech.com +44(0)33 011 30303

CLEANROOM CHAIRS

Elite is designed for use at 34-44" high benches. Features include easy pneumatic seat height adjustments from 22-32", an ergonomic seat with four-way contouring and internal seat board bumperguard, a mid-sized back with lumbar support and a plastic protective panel, plus convenient backrest tilt and height adjustments.

- The seat and back are covered with Grade 2 vinyl upholstery for durability and easy-cleaning. The chair rests on a high-profile 25.6" diameter cast aluminum base. Other features include dual-wheel, non-marring polyurethane casters that resist movement when the chair is left unoccupied.
- Ergonomic seat with waterfall front
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away
- Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest
- 13-year warranty with lifetime warranty on pneumatics
- Optional 22" diameter adjustable footring
- Also available in high bench configuration (seat height 24-33")





Optional arm rests - height can be adjusted & locked



Optional height adjustable stainless steel footring - 22" diameter slides easily, holds positively and stays put



| Seat height | Back rest height | Blue upholstery | Black upholstery |
|-----------------------|------------------|-----------------|------------------|
| Desk (17 - 21") | Tall (19.5") | GCELTBL17195 | GCELTBK17195 |
| Bench (20 - 27") | Tall (19.5") | GCELTBL20195 | GCELTBK20195 |
| High Bench (24 - 33") | Tall (19.5") | GCELTBL24195 | GCELTBK24195 |
| Desk (17 - 21") | Short (15") | GCELTBL01715 | GCELTBK01715 |
| Bench (20 - 27") | Short (15") | GCELTBL02015 | GCELTBK02015 |
| High Bench (24 - 33") | Short (15") | GCELTBL02415 | GCELTBK02415 |

pneumatic adjusts seat height

and back rest angle and height

| Controls | Race |
|----------|------|
| | |

Resistance casters featuring a semisoft tread that won't roll away easily

Rugged multipurpose construction, full ergonomic adjustability and antimicrobial properties make this Armour series chair a versatile seating solution for lower grade controlled environments, laboratories and educational applications.

• This chair is designed for use at 29-33" high desks and benches. Functions include pneumatic seat height adjustment range of 17-21", fixed rearward seat tilt of 3.5 degrees, plus backrest tilt and height adjustment controls. Features 16" wide by 10.75" high backrest with lumbar support, ergonomic 17.5" wide by 15.5" deep seat with waterfall front, robust 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.

Easy-to-clean seat and backrest feature stipple finish and contain UV inhibitor and antimicrobial properties. Metal parts have chrome finish.

- Ergonomic seat with waterfall front
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away
- Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest
- 13-year warranty with lifetime warranty on pneumatics
- Optional 22" diameter adjustable footring
- Also available in high bench configuration (seat height 24-33")





pneumatic adjusts seat height and backrest angle and height



Material

Seat and Backrest made from Polypropylene containing UV inhibitor and antimicrobial properties



Built in tubular footring, Resistance casters featuring a semi-soft tread that won't roll away easily

| Seat height | Tubular base including footring | Base plus adjustable footring |
|-----------------------|---------------------------------|-------------------------------|
| Desk (17 - 21") | GCARMTB00017 | GCARMSBFR017 |
| Bench (20 - 27") | GCARMTB00020 | GCARMSBFR020 |
| High Bench (24 - 33") | GCARMTB00024 | GCARMSBFR024 |



WORK BENCHES

STAINLESS STEFI

Workbenches manufactured from grade 304 stainless steel (also available in 316) with an electro-polished surface finished, continuously welded seams and non-shedding adjustable levelling feet. Stainless is a preferrential material due to its cleanability, strength and durability properties. It is also a material that will not generate particulate and offers high levels of resistence to many acids and cleaning agents.

Single bar frame:

- 304 grade stainless steel frame (30x30mm box) and work surface with fully welded frame & joint
- Heavy duty frame is manufactured from 50x50mm box section and has the rail at the rear of the unit
- Available on casters as a mobile bench.
- Available in 316 stainless steel
- All sizes can be configured with one or two solid shelves



| D | L | Н | Standard frame | Heavy-duty frame |
|------|-----|-----|----------------|------------------|
| 600 | 600 | 900 | GSWBSF600600 | GSWBHD600600 |
| 900 | 600 | 900 | GSWBSF600900 | GSWBHD600900 |
| 1200 | 600 | 900 | GSWBSF600120 | GSWBHD600120 |
| 1500 | 600 | 900 | GSWBSF600150 | GSWBSHD00150 |
| 1800 | 600 | 900 | GSWBSF600180 | GSWBHD600180 |
| 1500 | 750 | 900 | GSWBSF750150 | GSWBHD750150 |
| 1800 | 750 | 900 | GSWBSF750180 | GSWBHD750180 |
| 1800 | 900 | 900 | GSWBSF900180 | GSWBHD900180 |








Triple bar frame:

- 304 grade stainless steel frame (30x30mm box) and work surface with fully welded frame & joint
- Heavy duty frame is manufactured from 50x50mm box
- Available on casters as a mobile bench
- Available in 316 stainless steel
- Triple bar undershelf



HEIGHT ADJUSTABLE WORK BENCH

STAINLESS STEEL DESK



Trespa is a highpressure compact laminate consisting of layers of wood-based fibres (paper and/or wood) impregnated with thermosetting phenolic resins and surface layers with with melamine-based resins. The components are bonded together with simultaneous application of heat and high-specific pressure to create a homogeneous non-porous clean,



smooth and attractive material with increased density and chemical resistance. Our Trespa bench frameworks

are fashioned from powder-coated steel box section to give work benches strength and stability.

| _ | | | _ | |
|---|------------------|------------|---------|----------|
| | N diu natabla | lovolling | foot or | contar |
| | Adjustable | IEVEIII IU | TEEL U | Lasier |
| | , idjalo talo lo | | | 00.000.0 |

- Work surface 16mm Trespa Toplab Base E0-00 White
- White powder-coated steel frame 25x50mm 16 gauge
- 2mm chamfered edges (black)
- Draws below available
- Easy to clean

| W | D | Н | Product code | Plus upstand |
|------|-----|-----|--------------|--------------|
| 600 | 600 | 900 | GTSTDF906060 | GTUPSF906060 |
| 900 | 600 | 900 | GTSTDF906090 | GTUPSF906090 |
| 1000 | 600 | 900 | GTSTDF906010 | GTUPSF906010 |
| 1200 | 600 | 900 | GTSTDF906012 | GTUPSF906012 |
| 1500 | 600 | 900 | GTSTDF906015 | GTUPSF906015 |
| 1800 | 600 | 900 | GTSTDF906018 | GTUPSF906018 |



113 0303

Trespa work bench with undershelf


- Adjustable levelling feet or casters
- Button control panel to change height setting
- Available with wheel casters
- Upstand available
- Draws below available



TROLLEYS

STAINLESS STEEL

Guardtech stainless steel trolleys are avaliable in two variations grade 304 stainless solid steel shelves or wired. Guardtech also produce a range of trolley pass through hatches which can be found on the proceeding pages.





- Grade 304 stainless steel
- 360° casters with brakes on two wheels
- Available with brakes
- Fully welded seams
- Max load per shelf 50kg
- Also available in stainless steel wired
- Available in grade 316 stainless







- Heavy duty 5mm reinforced base
- Fully welded crevice free construction with beaked front rim
- Pushing handle for operation
- Diamond pattern wheels for manoeuvrability
- Can be manufactured without sideflights
- Also available perforated



| Litres | Н | L | W | Product code |
|--------|-----|-----|-----|--------------|
| 120 | 500 | 600 | 540 | GSB120506054 |
| 200 | 710 | 700 | 680 | GSB200717068 |
| 300 | 710 | 940 | 680 | GSB300719468 |



